

# MIECHV BENCHMARKS: PM 4


## WELL CHILD VISITS: FY 2020-2023

### PERFORMANCE MEASURE (PM) 4 DEFINITION

Percent of TCs (target children) who received the LAST recommended well child visit in the reporting period based on the American Academy of Pediatrics (AAP) schedule

### ALL HFNY MIECHV PERFORMANCE

- **About 50% of TCs** across all MIECHV programs received the last recommended well child visit in the reporting period over the last 3.5 years



### DISPARITIES IN WELL CHILD VISITS (FY 2022)

#### Correlates of TC Receiving Last Well Child Visit

*TCs with foreign-born or Hispanic PC1s were much more likely to have received their last well child visit than TCs of non-Hispanic White PC1s\**

#### Other Key Findings




**TCs who had health insurance were more than twice as likely to receive their last well child visit.**



**TCs in families with adequate food, clothing, and household goods (as reported by PC1s at intake or their last follow-up visit) were 60% more likely to receive their last well child visit.**

PC1 Race and Nativity Status



\*Groups that were not significantly different from the reference group (non-Hispanic White PC1s) are not shown.

# MIECHV BENCHMARKS: PM 4

## WELL CHILD VISITS: FY 2020-2023

### WELL CHILD VISITS & IMMUNIZATIONS (FY 2022)

When TCs had immunizations due, they were much more likely to receive their well child visit.

Well Child Visit Interval	3-7 days	2 wks. - 1 mo.	2-3 mos.	4-5 mos.	6-7 mos.	9-10 mos.	12-13 mos.	15-16 mos.	18-19 mos.	24-30 mos.	36-42 mos.	48-54 mos.
% Achieved	44%	35%	80%	83%	82%	34%	81%	56%	65%	65%	49%	56%

Vaccine Interval	Birth	1 mo.	2 mos.	4 mos.	6 mos.	9 mos.	12 mos.	15 mos.	18 mos.	2-3 yrs.	4-6 yrs.
Hepatitis B	1st dose	2nd dose					3rd dose				
Rotavirus			1st dose	2nd dose							
Diphtheria, tetanus & acellular pertussis			1st dose	2nd dose	3rd dose			4th dose			5th dose
Haemophilus influenzae type b			1st dose	2nd dose			3rd or 4th dose				
Pneumococcal conjugate			1st dose	2nd dose	3rd dose		3rd or 4th dose				
Inactivated poliovirus			1st dose	2nd dose			3rd dose				4th dose
COVID-19							2- or 3-dose primary series and booster				
Influenza: IIV4 OR LAIV4						Annual vaccination (1 or 2 doses)			Annual vaccination		Annual vaccination (1 or 2 doses)
Measles, mumps, rubella							1st dose				2nd dose
Varicella							1st dose				2nd dose
Hepatitis A							2-dose series				